Notice of Allowability	Application No.	Applicant(s)	
	09/818,888	KIM, DONG-YUN8	
	Examiner	Art Unit	
	Mark Connolly	2115	$\leq i$
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendments filed 2 July 2004.			
2. The allowed claim(s) is/are <u>1-8</u> .			
3. ☑ The drawings filed on <u>27 March 2001</u> are accepted by the Examiner.			
4. ☑ Acknowledgment is made of a claim for foreign priority un a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have	nder 35 U.S.C. § 119(a)-(d) or (f). be been received.		
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the req	uirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 			
each sheet. Replacement sheet(s) should be labeled as such in t	-		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner's Statem 9. ☐ Other SUPF	y (PTO-413), ate dment/Comment	wance

DETAILED ACTION

1. Pursuant to MPEP 606.1, the title has been changed to read:

-- A SYSTEM AND METHOD FOR SELECTING BETWEEN A HIGH AND LOW SPEED CLOCK IN RESPONSE TO A DECODED POWER INSTRUCTION --

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Connolly whose telephone number is (703) 305-7849. The examiner can normally be reached on M-F 8AM-5PM (except every first Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas C Lee can be reached on (703) 305-9717. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PHONE NUMBERS WILL CHANGE COME OCTOBER 13th.

Mark Connolly (571) 272-3666

Thomas C Lee (571) 272-3667

Tech Center Main Number (571) 272-2100

SUPERVISORY PATENT EXAMINER

Mark Connolly CENTER 2100 Examiner

Art Unit 2115

mc

September 9, 2004